



RAPID PREP



NATIONWIDE EQUIPMENT RENTALS, SALES + SERVICE


www.rapidprep.com | 877.529.2124

YOUR FULL SERVICE PROVIDER FOR SURFACE PREPARATION EQUIPMENT

Rapid Prep, LLC is a full service provider of sandblasting and all other surface preparation equipment. Our highly trained staff has a combined experience within the industrial painting industry of more than 100 years. Rapid Prep is fully committed to providing the highest quality equipment backed by 24 hour service from start up to demobilization.

Rapid Prep's sales and service people are knowledgeable and prepared to assist you for all your equipment and service needs. From large scale projects that require capital intensive equipment to small requests for sandblasting abrasives or dust collector filters, Rapid Prep can deliver.

We rent and sell surface preparation equipment for all applications including: abrasive blasting equipment, grit blast and recycling machines, air dryers, dehumidification and air conditioning equipment, dust collectors up to 45,000 CFM, vacuums of all sizes, and more.






TABLE OF CONTENTS

ABRASIVE BLASTERS.....	4
COMPRESSED AIR DRYERS.....	6
DUST COLLECTORS	7
VACUUMS.....	13
BLAST AND RECOVERY SYSTEMS.....	16
SLURRY/WET BLASTING	20
SUPPORT EQUIPMENT	23
PORTABLE BLASTER PACKAGES.....	24
SAFETY EQUIPMENT.....	28
VACUUM SHROUDED POWER TOOLS.....	34
HOSE AND DUCTING	35
FILTERS	36
VALVES	39
SCHMIDT SPARE PARTS.....	41
ABRASIVES	43
VACUUM HOSES + ACCESSORIES.....	44
COMPRESSED AIR SYSTEM PARTS.....	46
ELECTRICAL SYSTEM PARTS.....	50
ENGINE + DRIVE PARTS.....	52
WEAR PARTS + WEAR PLATES.....	59
HYDRAULIC SYSTEM PARTS.....	64
MISCELLANEOUS PARTS.....	66
LIGHTING	70

ABRASIVE BLASTERS

Rapid Prep's fleet of blasters feature a low profile which makes loading abrasive easy. They maintain an extremely low pressure drop for increased productivity and feature a 90° angled cone bottom that improves abrasive flow.



SMALL BLAST POTS

- 90° cone bottom
- Pneumatic remote controls

Item Number

RP 6001-011-01, 1.5 cu. ft.

RP 6001-031-01, 3.5 cu. ft.

RP 6001-061-01, 6.5 cu. ft.



MULTI-MEDIA BLASTERS

- Regulated pressure controls
- Full port bypass to blast at low to high pressures
- Media vibrator

Item Number

M-11-RP 8720-011, 1.5 cu. ft.

M-21-RP 8720-021, 2 cu. ft.

M-31- RP 8720-031, 3 cu. ft.



CONTRACTOR BLASTER

- Features a pressure hold system so unit does not depressurize until manual blowdown is released

Item Number

Pneumatic RP 0531-338-01UV, 6 cu. ft.

Electric RP 0532-338-01UV, 6 cu. ft.



160 CF (8 TON) YARD TRAILER

- 150 psi [10.3 bar] rated vessel
- Four outlet capability
- 3" flanged drain and 1600 MT
- Two complete 1½" Thompson Valve II outlets
- Pneumatic or electric remote controls
- Two high flow auto air valves
- CEN system
- HALOK
- 12" x 16" manway
- Also available as highway trailer and skid

Item Number

RP 0034-118-13U



BLAST PAK PRO

- Models match common portable compressors sizes: 250, 400, 800, 1200 and 1600 SCFM
- Initial fill of Dry-O-Lite included
- No electricity required, plug-n-play design
- Steel skid forklift channels, tie downs and lifting lugs for portability
- Air motor with filter, regulator, lubricator and muffler

Item Number

RP PRO-40, 400 SCFM

RP PRO-50, 800 SCFM

RP PRO-100, 1600 SCFM



DRY-O-LITE

- No energy consumption
- Prevents condensation
- Can be used indoors or outdoors
- Prevents wintertime air and gas line freeze-ups
- Available in 50 lb. bags and 55 gal. drums

DUST COLLECTORS

Designed for superior performance and available in sizes between 2,000 and 45,000 CFM, the Rapid Prep dust collectors are among the most versatile, powerful and rugged industrial dust collection systems around. They include a state-of-the-art cartridge pulsejet dust collectors. Self cleaning cartridge style filters and a hydraulic auger for dust discharge.



2,500 CFM

- Gas portable
- 77"L x 42"W x 78"H
- 1,500 lbs.
- Filtering capacity of 2,500 ACFM at 8" w.g.
- Cyclonic separator

Power Source

- 8.9 HP Honda gasoline engine enclosed
- 12VDC instrumentation



2,500 CFM

- Electric portable
- 77"L x 42"W x 81"H
- 1,500 lbs.
- Filtering capacity of 2,500 ACFM at 8" w.g.
- Cyclonic separator

Power Source

- 5 HP, 230/460 Volt
- 3 Phase TEFC motor
- 120 VAC controls



6,000 CFM

- Diesel trailer
- 182"L x 99"W x 130"H
- 6,200 lbs.
- Filtering capacity of 6,000 CFM at 12" w.g.
- Single axle, 7,000 lbs. Torflex with electric brakes

Power Source

- 48 HP
- 2.2 liter, interim tier 4 Kubota diesel engine with 38 gallon fuel tank



6,000 CFM

- Electric skid mounted
- 99"L x 90"W x 118"H stowed
- 158" raised height
- 4,500 lbs.
- Filtering capacity of 6,000 CFM at 12" w.g.
- Heavy duty rectangular frame

Power Source

- 20 HP, 460 Volt
- 3 Phase TEFC motor with all controls in a NEMA enclosure



12,000 CFM

- Diesel trailer
- 234"L x 99"W x 130"H
- 9,900 lbs.
- Filtering capacity of 12,000 CFM at 12" w.c.
- Dual axel, 7,000 lbs. Torflex with electric brakes

Power Source

- 84 HP
- 3.6 liter, tier 3 Kubota diesel engine with 60 gallon fuel tank



12,000 CFM

- Electric skid mounted
- 161"L x 93"W x 118"H stowed
- 158" raised height
- 7,000 lbs.
- Filtering capacity of 12,000 CFM at 10" w.c.
- 5200 sq. ft. of primary filter area for an air to cloth ratio of 2.3:1
- Heavy duty 4" x 8" rectangular tube frame

Power Source

- 40 HP, 460 Volt
- 3 Phase TEFC motor with all controls in a NEMA enclosure



18,000 CFM

- Diesel trailer
- 234"L x 99"W x 130"H
- 10,200 lbs.
- Filtering capacity of 18,000 CFM at 10" w.c.
- 5,200 sq. ft. of primary filter area for an air to cloth ratio of 2.88:1
- Dual axle, 7,000 lbs. Torflex with electric brakes

Power Source

- 74 HP
- 2.8 liter, tier 4 Final Cummins diesel engine with 60 gallon fuel tank



**RAPID PREP RENTS AND
SELLS THE RIGHT DUST
COLLECTOR FOR YOUR JOB**



20,000 CFM

- Electric trailer
- 294"L x 99"W x 125"H
- 12,900 lbs.
- Filtering capacity of 20,00 CFM at 12" w.c.
- 8,320 sq. ft. of primary filter area for an air to cloth ratio of 2.4:1
- Dual axle, 7,000 lbs. Torflex with electric brakes

Power Source

- 50 HP, 460 volt
- 3 phase TEFC motor with all controls in a NEMA enclosure



20,000 CFM

- Electric skid mounted
- 258"L x 96"W x 126"H stowed
- 166" raised height
- 11,500 lbs.
- Filtering capacity of 20,00 CFM at 12" w.c.
- 8,320 sq. ft. of primary filter area for an air to cloth ratio of 2.4:1
- Heavy duty 4" x 10" rectangular tube frame

Power Source

- 50 HP, 460 volt
- 3 phase TEFC motor with all controls in a NEMA enclosure



40,000/45,000 CFM

- Diesel trailer
- 370"L x 101"W x 150"H
- 18,500 lbs.
- Filtering capacity of 40,000 CFM at 14" w.c. and 45,000 CFM at 12" w.c.
- 15,600 sq. ft. of primary filter area for an air to cloth ratio of 2.6 to 1
- Tri-axle, 8,000 lbs. Torflex with electric brakes

Power Source

- 173 HP
- 6.8 Liter, tier 3 John Deere diesel engine with 120 gallon fuel tank



40,000/45,000 CFM

- Electric trailer
- 370"L x 101"W x 150"H
- 18,500 lbs.
- Filtering capacity of 40,000 CFM at 14" w.c. and 45,000 CFM at 12" w.c.
- 15,600 sq. ft. of primary filter area for an air to cloth ratio of 2.6 to 1
- Tri-axle, 8,000 lbs. Torflex with electric brakes

Power Source

- 125 HP, 230/460 Volt
- 3 phase TEFC motor with all controls in a NEMA enclosure, soft start

The Vacuum System is economical and versatile. Its ability to automatically or manually discharge material into any dump truck, dumpster, container or bag up to 11 feet high is essential. Available in 300-828.



VACUUM SYSTEM 300

- Diesel trailer
- 152"L x 79"W x 113"H stowed
- 136" raised height
- 56" discharge height
- 3,500 lbs.
- Positive displacement, 850 CFM at 15" Hg, 3-belt driven
- Chassis-single 5,000# axle
- Rectangular tube frame
- DOT lighting with electric brakes

Power Source

- Liquid-cooled diesel engine, 3 cylinder, 30 HP with electric start and locking engine shroud



VACUUM SYSTEM 300

- Electric skid mounted
- 113"L x 69"W x 102"H stowed
- 145" raised height
- 59" discharge height
- 2,800 lbs.
- Positive displacement, 850 CFM at 15" Hg, 3-belt driven

Power Source

- 30 HP TEFC electric motor
- NEMA 4X enclosure with all controls and disconnect



VACUUM SYSTEM 500

- Diesel trailer
- 204"L x 99"W x 133"H stowed
- 220" raised height
- 284" raised length
- 101" discharge height
- 9,500 lbs.
- Positive displacement, 2,350 CFM at 27" Hg
- chassis-tandem 7000# axles
- 4" x 6" rectangular tube frame
- DOT lighting with electric brakes

Power Source

- John Deere or Cummins turbo-charged diesel engine, 6 cylinder, 170 HP at 2,400 RPM



VACUUM SYSTEM 755

- Diesel trailer
- 241"L x 99"W x 141"H stowed
- 230" raised height
- 321" raised length
- 102" discharge height
- 14,880 lbs.
- Roots/Dresser 3,660 CFM at 28" Hg, direct drive through flex coupling, with easy access guard
- Chassis-tandem 8000# axles
- 4" x 6" rectangular tube frame
- DOT lighting with electric brakes

Power Source

- John Deere Tier 4 turbo-charged diesel engine, 6.8 L, 225 HP at 2,200 RPM



VACUUM SYSTEM 828

- Diesel trailer
- 257"L x 99"W x 141"H stowed
- 230" raised height
- 337" raised length
- 102" discharge height
- 18,600 lbs.
- Roots/Dresser 5,660 CFM at 28" Hg, direct drive through flex coupling, with easy access guard
- Tri-axle 8000#
- 4"x6" rectangular tube frame
- DOT lighting with electric brakes

Power Source

- John Deere Tier 4 turbo-charged diesel engine, 325 HP at 1,800 RPM

When it comes to portable industrial vacuums,

VERSATILITY IS THE BEST WAY TO DESCRIBE OUR SYSTEMS.

INCREASED POWER AND OUTPUT OF MORE THAN 35%

bridges the gap between truck and trailer mounted vacuum loaders without sacrificing the compact design, maneuverability and lower costs unique to trailer mounted units.

VACUUM RECOVERY SYSTEMS

Ideal for shipyards, factories, mining and other industrial settings that require a powerful vacuum system with minimal noise under 85 DBA.



QC150

- Skid mounted
- 126"L x 100"W x 126"H stowed
- 183" raised height
- 9,500 lbs.

Sound Attenuation Package

- Patented "Quiet Cube" technology
- 84 DBA at full vacuum
- Dual inlet and discharge silencers with sound attenuation enclosure

Power Source

- 150 HP electric motor
- 460 volt, 3-phase, hostile duty [Full Load amps 163, no load 48.8]



QC200

- Skid mounted
- 176"L x 102"W x 128"H stowed
- 189" raised height
- 15,000 lbs.

Sound Attenuation Package

- Patented "Quiet Cube" technology
- 85 DBA at full vacuum

Power Source

- 200 HP electric motor
- 460 volt, 3-phase, premium efficiency [Full Load amps 245, no load 86]



QC250

- Skid mounted
- 4" x 8" rectangular tube frame, fork pockets, and certified lifting cage
- 162"L x 100"W x 126"H stowed
- 183" raised height
- 16,000 lbs.

Sound Attenuation Package

- Inlet and discharge silencers with sound attenuation enclosure

Power Source

- 250 HP electric motor
- 460 volt, 3-phase, hostile duty [Full Load amps 282, no load 86]



BLAST AND RECOVERY SYSTEMS

Designed for contained open vacuum blasting, the VB 1200 and 2400 systems blast abrasive through two or three blasting outlets onto the surface being finished. Our high-powered vacuum units, recover the spent abrasive where the dust and waste are separated. The used abrasive is recycled and returned to the storage hopper for re-use.



BRS™

- Blast where open-air blasting is prohibited, or is not possible or practical
- Portable or skid-mounted 2.0, 3.5 and 6.5 cu. ft. models
- Pneumatic or optional electric remote controls
- Blast pressure regulator with bypass piping allows blasting at lower pressures
- Cyclonic dust separator/media reclaimer
- Dust collector (dry or dry-HEPA) with automatic pulse jet to prevent clogging
- Moisture separator and media vibrator for smooth, even flow of abrasive
- Available in miniBRS™ 3.5 and 6.5





VB 1200

- 102"L x 48"W x 122"H
- 3,000 lbs.
- Two blasting outlets
- Blast pot capacity 16 cu./ft.
- Storage hopper capacity 16 cu./ft.
- Vacuum and classifier



VB 2400

- 122"L x 48"W x 122"H
- 5,000 lbs.
- Three blasting outlets
- Blast pot capacity 35 cu./ft.
- Storage hopper capacity 35 cu./ft.
- Vacuum and classifier



AMPHIBLAST™

- 165 gallon water tank
- 87"L x 38"W x 65"H
- 1,350 lbs. empty
- Blast wet or dry
- Injects water into the blast stream after the metering valve

Item Number

Pneumatic RP 8201-040-11, 6.5 cu. ft..

Electric RP 8201-041-11, 6.5 cu. ft.



BULK AMPHIBLAST™

- Operate up to three nozzles/outlets simultaneously
- Independently set each nozzle for wet blast, dry blast, softwash or blowoff
- Greater abrasive capacity for increased productivity [45 cu. ft. or 1½ bulk bag]

Item Number

Pneumatic RP 8202-060-12

Electric RP 8202-061-12



GBT 350

- 23"L x 63"W x 44"H
- 3.5 cubic foot certified blast pot
- 50 gallon on board water tank
- Pneumatically operated (optional 12 volt)
- Blast pressures achievable: 25 PSI-120 PSI



GBT 760

- 31"L x 78"W x 55"H
- Tare weight 1,030 lbs.
- Gross weight 2,900 lbs.
- 7.6 cubic foot certified blast pot
- 100 gallon on board water tank
- Pneumatically operated (optional 12 volt)
- Blast pressures achievable: 15 PSI-120 PSI
- Surface profile achievable: 0-4 Mill



350 SKID MOUNT

- 42"L x 22"W x 44"H
- Two internal manifold options:
 - 3/4" Manifold**
 - Air requirement: 125 CFM minimum
 - 3/4" blast hose
 - #5 blast nozzle
 - 1" Manifold**
 - Air requirement: 185 CFM minimum
 - 1" blast hose
 - #6 blast nozzle



1,200 FSU

- 38"L x 84"W x 55"H
- Tare weight: 1,400 lbs.
- Gross weight: 3,700 lbs.
- 12 cu. ft. certified blast pot
- 100 gallon on board water tank
- Electrically operated
- Blast pressures achievable: 30 PSI-120 PSI
- Surface profile achievable: 0-4 Mill



DH/AC

- Four way fork truck tubes large enough for an 8 ton fork truck
- Four point shipyard lifting cage with connections at 65" requiring no steps to connect rigging
- 460 volt, 3 phase, 15 HP direct drive, high output motor
- Maximum amperage draw 123
- Below 83 decibels at 3 meters
- 4-in-1 cooling, DH, heat and high pressure blower



DECON TRAILERS

- 2 or 4 shower stalls
- DOT approved tandem axle trailer
- Mircon lead filtration system
- Exterior handwash station
- HEPA negative air unit
- Storage lockers and steel benches available



PORTABLE BLASTER PACKAGES

Recognized and trusted around the globe, Rapid Prep portable blasting systems are designed to provide the lowest pressure drop while using a wide range of media. Available in packages or individually, the low maintenance design minimizes downtime and increases productivity. Custom systems can be designed to meet specific needs with a multitude of options, these units feature normally closed, fail-safe valves and controls for greater safety and performance.



The Schmidt VBS II™ is the latest technology for suppressing the intensity of the air/energy during vessel depressurization of abrasive blasting systems. It is the only system specifically designed to safely reduce the noise levels and abrasive particle velocity [speeds] which occur during vessel blowdown.

STANDARD PACKAGE

- Portable blaster, 150 psi (10.3 bar) rated vessel with 90° cone bottom head
- Pneumatic or electric remote controls
- ComboValve
- VBS System
- MV3
- 55' twinline control hose
- G2 Deadman control
- Moisture separator
- 50' blast hose assembly and nozzle

1.5 cu. ft. vessel

- 1" piping (VBS not included)
- 38"L x 36"W x 24"H
- Shipping weight: 182 lbs.

3.5 cu. ft. vessel

- 1¼" piping
- 38"L x 36"W x 54"H
- Shipping weight: 293 lbs.

6.5 cu. ft. vessel

- 1½" piping
- 38"L x 36"W x 56"H
- Shipping weight: 421 lbs.



ENHANCED PACKAGE

- Portable blaster, 150 psi (10.3 bar) rated vessel with 90° cone bottom head
- Pneumatic or electric remote controls
- ComboValve
- VBS System
- MV3
- 55' twinline control hose
- G2 Deadman control
- Moisture separator
- 50' blast hose assembly and nozzle
- NOVA 3® NIOSH approved type CE respirator
- 50' air supply hose kit
- Radex™ Airline Filter
- Cool tube



1.5 cu. ft. vessel

- 1" piping (VBS not included)
- 38"L x 36"W x 24"H
- Shipping weight: 182 lbs.

3.5 cu. ft. vessel

- 1¼" piping
- 38"L x 36"W x 54"H
- Shipping weight: 293 lbs.

6.5 cu. ft. vessel

- 1½" piping
- 38"L x 36"W x 56"H
- Shipping weight: 421 lbs.

PORTABLE BLASTER PACKAGES



PRO PACKAGE

- Portable blaster, 150 psi (10.3 bar) rated vessel with 90° cone bottom head
- Pneumatic or electric remote controls
- ComboValve
- VBS System
- MV3
- 55' twinline control hose
- G2 Deadman control
- Moisture separator
- 50' blast hose assembly and nozzle
- NOVA 3® NIOSH approved type CE respirator
- 50' air supply hose kit,
- Radex™ Airline Filter
- Cool tube
- LED blast light
- Blast suit
- Blast gloves

1.5 cu. ft. vessel

- 1" piping (VBS not included)
- 38"L x 36"W x 24"H
- Shipping weight: 182 lbs.

3.5 cu. ft. vessel

- 1¼" piping
- 38"L x 36"W x 54"H
- Shipping weight: 293 lbs.

6.5 cu. ft. vessel

- 1½" piping
- 38"L x 36"W x 56"H
- Shipping weight: 421 lbs.

PORTABLE BLASTER PACKAGES



CONTRACTOR/ HIGH PRODUCTION PACKAGE

- Portable blaster, 150 psi (10.3 bar) rated vessel with 90° cone bottom head
- Pneumatic or electric remote controls
- ComboValve
- VBS System
- MV3
- 55' twinline control hose
- G2 Deadman control
- Moisture separator
- 50' blast hose assembly and nozzle
- NOVA 3® NIOSH approved type CE respirator
- 50' air supply hose kit,
- Radex™ Airline Filter
- LED blast light
- Blast suit
- Blast gloves
- C40™ climate control device
- GX4™ gas monitor





RBP® Nova 3® Respirator Kit with Nylon Cape, Flow Controls and Breathing Tube

- Nova 3 ultra performance heavy industrial abrasive blasting helmet respirator

Item Number
RP NV3-702-50



RBP Nova 2000® Respirator Kit with Nylon Cape, Flow Controls and Breathing Tube

- Nova 2000 advanced abrasive blasting respirator helmet

Item Number
RP NV2000



RBP Radex™ Airline Filter, 1-2 Man

- Large capacity
- 6-stage filter cartridge that removes moisture and particulates to 0.5 micron and removed odor from the compressed air streams

Item Number
RP 04-900



RBP Radex Airline Filter, 6-Man

- Large capacity
- 6-stage filter cartridge that removes moisture and particulates to 0.5 micron and removed odor from the compressed air streams

Item Number
RP 04-906



RBP GX4® Gas Monitor

- Detects up to four gases simultaneously
- Includes smart device and cloud integration capabilities enabling you to view your air quality from any device while sensors are displayed online in real time

Item Number
RP 08-400-01



RBP PX4 Air® PAPER

- Clean breathing air without the restriction of attached airlines
- NIOSH and CE certified
- Exceeds the requirements of AS/NZS

Item Number
RP 03-901



RBP C40™ Climate Control Device

- Cool incoming air by up to 52°F [29°C]
- Heats air by up to 33°F [18°C]
- Lightweight and ergonomic
- Pairs with most of our respirator range

Item Number
RP 03-501



RBP Breathing Air Supply Hose with S.S. Fittings

- Available in 3/8" or 1/2" diameter [includes quick release fittings]

Item Number
RP NV2029, 50'
RP NV2027, 100'



RBP Hot Air Tube

- Manufactured from engineering grade plastic
- Warms compressed breathing air entering respirators by as much as 30°F [17°C]

Item Number

RP 4000-02



RBP Nova Talk™ Upgrade Nova 3

- Wireless communication system
- Ideal for users in remote locations
- Features include push to talk simplicity
- Noise-cancelling microphone
- Pillow foam padding
- Multiple harness options and more

Item Number

RP 09-903, Nova 3

RP 09-900, Nova 2000



RBP Cold Air Tube

- Manufactured from engineering grade plastic
- Cools compressed breathing air entering respirators by as much as 32°F [18°C]

Item Number

RP 4000-01



RBP Nova Talk R-Tex High Noise Headset

- Designed for operators not using a respirator, such as a pot tender or a hole watch
- NRR Rating of 23 dBA
- Noise cancelling

Item Number

RP 09-916



RPB L4 Light Assembly Nova 3

- Highly concentrated output of light to your field of vision
- LEDs produce up to 650 lumens of concentrated light output
- Lightweight battery pack
- Mounts comfortably and securely on belt

Item Number

RP 09-501-04, 4 hour

RP 09-501-08, 8 hour



RPB Blast Suit

- Triple stitching
- Replaceable knee pads
- S to 4XL

Item Number

RP 07-755-X



RPB Leather Blasting Gloves

- Premium quality leather
- Kevlar stitching
- Double layer palm and extra leather strip on the outside for additional protection
- One size fits all

Item Number


RP 07-701

SAFETY EQUIPMENT



RPB Nova 3 Inner Lens, 10 pack

Item Number
RP NV3-722



RPB Nova 2000 Inner Lens, 10 pack

Item Number
RP NV2018



RPB Nova 3 Tinted Inner Lens, 10 pack

Item Number
RP NV3-722-T



RPB Nova 2000 Tinted Inner Lens, 10 pack

Item Number
RP NV2018-T



RPB Nova 3 Outer Lens, 50 pack

Item Number
RP NV3-724




RPB Nova 2000 Outer Lens, 50 pack

Item Number
RP NV2031



RPB Nova 3 Tear Off Lens, 50 pack

Item Number
RP NV3-725



RPB Nova 2000 Tear Off Lens, 50 pack

Item Number
RP NV2017

RPB Nova 3 Tear Off Cassette Lens, 20 pack

Item Number
RP NV3-745



30 CFM Breather Box®

- 48 CFM flow capacity
- 2 couplings

Item Number
RP BB30-CO



50 CFM Breather Box®

- Intrinsically safe
- 79 CFM flow capacity
- 4 couplings

Item Number
RP BB30-COIS



100 CFM Breather Box®

- 123 CFM flow capacity
- 4 couplings

Item Number
RP BB100-CO



Carbon Monoxide [CO] / Oxygen [O2] Monitors

- Less than 2 minutes calibration time
- Monitor display: LCD 3-digit readout
- Temperature range: 4°F to 113°F [-20°C to 45°C]
- Accuracy: +/- 1% of full scale
- Monitor range: Carbon Monoxide [CO] 0-200 ppm, Oxygen [O2] optional 15-23%
- Pressure / flow range: 1-3 psi, flow 50-100 cc
- Response: 90% of full scale in 10 seconds
- Humidity range: 5% to 95% relative humidity
- Voltage operation: 115 VAC, dual 9 VDC battery, or 8-16 VDC [230 VAC optional]
- Control panel standard features: inlet gas quick connect coupling, auxiliary 12 VDC jack, on/off/test switch, auxiliary/remote alarm jack, 115 VAC jack
- CO or CO/O2 monitors available with intrinsically safe [IS] certification

Item Number
RP CO91-CO291

VACUUM SHROUDED POWER TOOLS

A cost effective method of coating removal and surface preparation is the vacuum shrouded power tool. A portable lightweight containment tool, where the cost of operation is marginal, while maintaining high production without the use of hazardous chemicals. Power tools are much less expensive and produce lower levels of hazardous waste keeping our environment clean.



Rotapeens

- Provides a bare metal surface for welding or an excellent anchor pattern for coatings
- Adjustable dust shroud conforms to the surface
- Allows for an efficient transfer of dust and paint chips to the vacuum
- Available in 2¼" and 4" pneumatic
- Cutter or C flap assembly available



Sanders

- Motor driven rotary disc grinds paint or rust
- Particles are picked up by the floating head design dust collection attachment [DCOA]
- Dust shroud conforms to the surface
- Allows for an efficient transfer of dust and paint chips to the vacuum
- Available in 5" and 7" in pneumatic and electric



Needle Guns

- Interior pistons are driven pneumatically or electrically, forcing the needles to impact the substrate
- Dust collection attachment [DCOA] conforms to the surface
- Allows for an efficient transfer of dust and paint chips to the vacuum
- Available in 3mm



Bristle Blaster

- Rotary bristle tool helps achieve both corrosion removal and an anchor profile
- Generates anchor profiles ranging from 2.5 to 3.3mil on steel – also on weld seams, edges, around bolts and on surface irregularities
- Suitable for spot repairs as well as larger areas where other processes are prohibitive
- Available in pneumatic and electric
- 11mm and 23mm replacement belts available



Blast Hose 2-Ply [Whip Hose]

- Available in 1 $\frac{1}{4}$ " 50' sections, both coupled and uncoupled
- Custom length coupled whips available

Blast Hose 4-Ply

- Available in 50' sections, both coupled and uncoupled
- Available in 5 sizes: $\frac{1}{2}$ ", $\frac{3}{4}$ ", 1", 1 $\frac{1}{4}$ ", 1 $\frac{1}{2}$ "




Heavy Duty Vacuum Hose

- Available in 50' increments



Light Duty Vacuum Hose

- Available in 2" and 3"



Heavy Duty Air Hose [Bull Hose]

- Available in foot increments, fittings can be added to the ends



Dust Collector Duct Hose FSP11 BRG

- Available in 25' sections



Vacuum Blast Kit

- Blast where no dust or mess is allowed
- Suitable for removal of toxic paints like lead
- Blast and vacuum heads can be attached to most standard blast machines
- Recovers abrasive and blast debris
- Kit includes brush set [flat, radius, inside and outside corner], #5 Nozzle, wear sleeve and coupled blast hose whip



Ipec Style Open/Open DC Filter Cartridge
[Ipec Dust Collectors, IVEC Electric DC]

Item Number
RP 10000865

ECS/BGRS Style Dust Collector Filter Cartridge
[ECS Dust Collectors]

Item Number
RP 80020217

Ipec Style Open/Closed DC Filter Cartridge
[Ipec Dust Collectors, VB's, BRS]

Item Number
RP 10001152

ADI Style Dust Collector Filter Cartridge
[ADI Dust Collectors]

Item Number
RP C5CE4AE2

IVEC Style Dust Collector Filter
[Industrial Vac Dust Collectors]

Item Number
RP FN7546

Torit Style Dust Collector Filter Cartridge
[ABS 10k Electric Dust Collector]

Item Number
RP 10000748

ARS Style Dust Collector Filter Cartridge
[ARS Dust Collector]

Item Number
RP 306665

IVEC Style Dust Collector Filter
[Industrial Vac Dust Collectors New Style]

Item Number
RP FN11054



38" Snap-In Coated Nomex Filterbag w/Ground Wire

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM

Item Number
RP FN8013N

40" Coated Filterbags for Vecloaders

Item Number
RP FN8001

38" Snap-In Coated Filterbag w/Ground Wire

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, HS-500 EM, Quiet Cube

Item Number
RP FN8013

28" Coated Filterbags for Vecloaders

Item Number
RP FN8002

38" Snap-In Coated Filterbags [Standard Bags]

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM, Quiet Cube

Item Number
RP FN8014



28" Snap-In Coated Filterbag

- Fits: Hurricane HT-400, HT-500 (with 28" bags), HT-300 (with reverse pulse filter bags)

Item Number
RP FN8019

28" Snap-In Coated Filterbag w/Ground Wire

- Fits: Hurricane HT-500

Item Number
RP FN8023

*We also can provide replacement filters for virtually every make and style dust collector



40" Cages for Vecloaders

Item Number
RP FN8003

38" Cages w/Venturi for Hurricane

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM, Quiet Cube

Item Number
RP FN8065

38" Stainless Steel Cage for Hurricane

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM

Item Number
RP FN8065

28" Cages for Vecloaders

Item Number
RP FN8004

28" Steel Cages w/Venturi

- Fits: Hurricane HT-300, HT-400, HS-400, HT-500

Item Number
RP FN8018



Blower Safety Filter for Hurricanes

Item Number
RP FN8006H

Blower Safety Filter for Vecloaders

Item Number
RP FN8006

Blower Safety

- Fits: Hurricane 755/828

Item Number
RP FN8058

Hepa Filter for Older Vecloaders

Item Number
RP FN8052

Hepa Filter for Hurricanes and Vecloader

Item Number
RP FN8055, 12.75"OD x 32"L

Blower Safety Filter Cartridge

- Open/closed with bolt hole

Item Number
RP FN0285, 12.75"OD x 36"L

Blower Safety Filter for Hurricane 300

Item Number
RP FN0035



Thompson Valve II 1 1/2" w/Urethane Sleeve

Item Number
RP 2152-108

Thompson Valve II 1 1/2" w/Tungsten Carbide Sleeve

Item Number
RP 2152-008

Thompson Valve II 1 1/4" w/Urethane Sleeve

Item Number
RP 2152-107

Thompson Valve II 1 1/4" w/Tungsten Carbide Sleeve

Item Number
RP 2152-007

TV II Repair Kit w/Tungsten Sleeve

Item Number
RP 2152-000-99

TV II Repair Kit w/Urethane Sleeve

Item Number
RP 2152-100-99

TV II Replacement Seal Kit w/Seat

Item Number
RP 2152-100-98



MV3 Valve 1 1/2" Urethane

Item Number
RP 2128-108

MV3 Valve 1 1/4" Urethane

Item Number
RP 2128-107

MV3 Repair Kit

Item Number
RP 2128-100-99

MV3 Replacement Seals Kit

Item Number
RP 2128-100-98



ComboValve 1 1/4" Complete

Item Number
RP 2223-000

ComboValve Repair Kit

Item Number
RP 2223-000-99



Key Pinch Valve

Item Number
RP 1PV-C10

Shoe Key Metering Valve Complete

Item Number
RP 1MV-C10

1 1/4" Union End Ball Valve Brass

Item Number
RP 1 1/4" UNION END

Mac Valve 12VDC w/Manifold

Item Number
RP 257B-601CAAA

8" Wet/Dry Metering Valve (butterfly) w/Handle

Item Number
RP WD804ALU001

6" Wet/Dry Metering Valve (butterfly) w/Handle

Item Number
RP WD604ALU001



Auto Air Valve 1 1/2" N/C

Item Number
RP 2123-108

Auto Air Valve 1 1/4" N/C

Item Number
RP 2123-107

Auto Air Valve 1" N/C

Item Number
RP 2123-106

Auto Air Valve 1 1/2" High Flow

Item Number
RP 2123-108L

Auto Air Valve Parts Kit (for 1 1/2" and 1 1/4" N/C)

Item Number
RP 2123-007-99

Auto Air Valve Parts Kit High Flow

Item Number
RP 2123-009-99

Auto Air Valve Parts Kit 1" N/C

Item Number
RP 2123-006-99



Pop-up Head 3.5 and 6.5 Pots

Item Number
RP 2100-010

Pop-up Gasket 3.5 and 6.5 Pots

Item Number
RP 2100-011

Pop-up Head 1.5 Pot

Item Number
RP 2100-000

Pop-up Gasket 1.5 Pot

Item Number
RP 2100-001

Handway Gasket 4" x 6"

Item Number
RP 7000-000-06

Handway Gasket 6" x 8"

Item Number
RP 7000-001-06



110' Twinline Hose Assembly

Item Number
RP 4100-701

55' Twinline Hose Assembly

Item Number
RP 4100-501

25' Twinline Hose Assembly

Item Number
RP 4100-301



G2 Pneumatic Deadman

Item Number
RP 2263-002

G2 Pneumatic Deadman Repair Kit

Item Number
RP 2263-002-99

Lid 3.5 Blast Pot

Item Number
RP 5010-030

Lid 6.5 Blast Pot

Item Number
RP 5010-060

Screen 3.5 Blast Pot 1/4" Mesh

Item Number
RP 5011-030

Screen 6.5 Blast Pot 1/4" Mesh

Item Number
RP 5011-060



Posi Seal Assembly Complete


Item Number
RP 2100-022

Quick Coupling Clamp 1 1/4"


Item Number
RP 8710-98502




RP Garnet



Copper Slag



Steel Grit



Jet Mag



Crushed Glass

ABRASIVE CONSUMPTION [lbs. per hour] PER BLAST NOZZLE

NOZZLE SIZE	NOZZLE PRESSURE					
	70 psi	80 psi	90 psi	100 psi	120 psi	140 psi
No. 2 1/8"	105	115	130	140	165	190
No. 3 3/16"	230	260	290	320	375	430
No. 4 1/4"	420	460	500	560	660	760
No. 5 5/16"	650	725	825	900	1050	1200
No. 6 3/8"	945	1050	1150	1260	1475	1700
No. 7 7/16"	1300	1450	1600	1750	2050	2350
No. 8 1/2"	1660	1850	2000	2250	2650	3000
No. 10 5/8"	2660	2900	3125	3520	4100	4750
No. 12 3/4"	3750	4180	4500	5060	5950	6800



Aluminum Bulk Nozzles

Item Number

RP HC2070-2, 2-inch
RP HC2070-2.5, 2.5-inch
RP HC2070-3, 3-inch
RP HC2070-4, 4-inch
RP HC2070-5, 5-inch
RP HC2070-6, 6-inch
RP HC6026-4, 4-inch



Rock Scoop for Ballast/Big Rock

Item Number

RP HC6026-4, 4-inch
RP HC6026-5, 5-inch
RP HC6026-6, 6-inch
RP HC6026-1, 4-inch, 5-inch, 6-inch



Steel Sleeve Coupling

Item Number

RP HC6049, 3-inch
RP HC6050, 4-inch
RP HC6052, 5-inch
RP HC6060, 6-inch
RP HC6068, 8-inch



Steel Wye

Item Number

RP HC6128, 2" x 1.5" x 1.5"
RP HC6127, 3" x 2" x 2" [H.D.]
RP HC6123, 3" x 3" x 3"
RP HC5999, 4" x 2" x 2"
RP HC6028, 4" x 2.5" x 2.5"
RP HC8020, 4" x 3" x 3" [H.D.]
RP HC6027, 4" x 4" x 4"
RP HC5998, 5" x 2" x 2" x 2"
RP HC7101, 5" x 2.5" x 2.5"
RP HC7105, 5" x 3" x 3"
RP HC5990, 5" x 4" x 4"
RP HC6087, 5" x 5" x 5"
RP HC6109, 6" x 3" x 3"
RP HC6121H, 6" x 4" x 4" [H.D.]
RP HC6118, 6" x 5" x 5" [H.D.]
RP HC6113, 6" x 6" x 6"
RP HC7102, 8" x 4" x 4"
RP HC7103, 8" x 4" x 4" x 4" [3-way]
RP HC7104, 8" x 6" x 6"



Steel Reducers

Item Number

RP HC4102, 3" x 2"
RP HC4100, 4" x 2"
RP HC6115, 4" x 3"
RP HC6901, 5" x 2.5"
RP HC6039, 5" x 3"
RP HC6038, 5" x 4"
RP HC0603, 6" x 3"
RP HC6400, 6" x 4"
RP HC6033, 6" x 5"
RP HC5997, 7" x 6"
RP HC6046, 8" x 4"
RP HC6080, 8" x 6"



Wear Elbow

Item Number

RP HC6015, 4-inch
RP HC6016, 5-inch

Re-Enforced Heavy Duty Wear Elbow

Item Number

RP HC6017-1, 6-inch



Diaphragm Rebuild Kit for Baghouse

- Old Style, 5 Bolt, Vecloaders / Hurricanes
- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, Vecloader

Item Number
RP AR4017



Air Dryer for 2006 and Hurricanes

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828

Item Number
RP AR5003



Diaphragm Rebuild Kit for Baghouse

- New Style, 4 Bolt w/Brass Tab
- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM

Item Number
RP AR4017-1



Diaphragm for Baghouse Filter Pulsing - Sits Below AR4015, 3/4" NPT

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, HS-500EM, HS-800EM, Quiet Cube, Vecloader

Item Number
RP AR4016



Diaphragm Rebuild Kit for Filter Pulsing on IVEC 20,000 CFM Diesel Dust Collector

Item Number
RP AR4017-3

Diaphragm Valve for Industrial Vacuum Brand Electric Dust Collectors

Item Number
RP AR4016-2

Diaphragm for IVEC 6,000, 12,000, 20,000 and 45,000 CFM Dust Collectors

Item Number
RP AR4016-3



Air Actuated Butterfly Valve for 2014 or Newer Hurricanes

- Fits: Hurricane HT-500, HT-600, HS-500 EM, HS-800 EM, QC-75, QC-100, QC-150

Item Number
RP AR4038

6" Air Actuated Butterfly Valve for Catalyst Units

- Fits: Hurricane HT-600, HT-755

Item Number
RP AR4041

4" Air Operated Butterfly Valve for Hurricane 300

- Fits: Hurricane 300

Item Number
RP VP300E-01



Main Air Tank

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828

Item Number
RP AR4901



8" Rear Baghouse Air Tank

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM, Vecloader

Item Number
RP AR4021



Impacting Cone Vibrator

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM, Quiet Cube, Vecloader

Item Number
RP AR4010

Gasket

Item Number
RP AR4010-1



Air Compressor Governor for all Hurricane Diesels

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828 Vecloader

Item Number
RP AR4031



Air Compressor – New Style Twin Cylinder Auxiliary Drive

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828

Item Number
RP AR4910



Air Compressor – Auxiliary Drive

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755 HT-828

Item Number
RP AR4902

Safety Valve – New Style [AR4910] Air Compressor

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828

Item Number
RP AR4909

Rebuilt Air Compressor – Auxiliary Drive [Core Required]

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828

Item Number
RP AR4902R



Coiled Air Hose from Tower to Baghouse

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, Vecloader

Item Number
RP AR4014



Alcohol Evaporator for Cold Weather Operation

Item Number
RP AR4030



Alcohol Evaporator Assembly with Hoses for Cold Operation

Item Number
RP AR4030-A



Air Motor for Aftercooler 800-1200 CFM Air Dryers

Item Number
RP 59785K82

Air Motor for Aftercooler 1600 CFM Air Dryer

Item Number
RP 59785K86



Air Dryer Desiccant Cartridge w/o Fins, 2008 or Newer Hurricanes

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828

Item Number
RP AR5000



Dump Timer Variable

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, Quiet Cube, Vecloader

Item Number
RP EC2000

Dump Timer 120 Volt

- Fits: All IVEC Diesel Powered Dust Collectors

Item Number
RP EC2000-1

12 Volt Dump Timer - Special 100 Minutes On, 100 Seconds Off

- Fits: Hurricane HT-300, Ht-400, HT-500, HT-600, HT-755, HT-828, Quiet Cube, Vecloader

Item Number
RP EC2000-2



Baghouse Timer Board - 10 Station 12 Volt

- Fits: Dust Collector

Item Number
RP EC2001-10

Baghouse Timer Board

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, Quiet Cube, Vecloader

Item Number
RP EC2001



Baghouse Timer - 120V (Hurricane)

- Fits: Hurricane Electric Models with 120V Baghouse

Item Number
RP EC2013

Baghouse Timer - 20,000 CFM Electric Dust Collectors

Item Number
RP EC2001-22



Remote Emergency Stop Control Box with 50' Extension Cable

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM

Item Number
RP EC2027

Remote Emergency Stop Control Box with 100' Extension Cable

Item Number
RP EC2027-100

Remote Emergency Stop 100' Extension Cable – Male/Female Twist Locks

- Fits: All

Item Number
RP EC2027-1



Remote Emergency Stop Box

- Without Cable or Twist Lock [Shown]. Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM

Item Number
RP EC2029

Remote Wireless E-Stop

- Fits: All

Item Number
RP EC2027R



Twist Lock Cord Connectors

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828

Item Number
FEMALE RP EC2215
MALE RP EC2216



Wiring Harness

- For Baghouse. Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828

Item Number
RP EC2220



Engine Oil Filter for Vecloaders

- Fits: Vecloader 422/522

Item Number
RP ED0007

Oil Filter for Hurricane -170-225hp

- Fits: Hurricane HT-555, HT-655

Item Number
RP ED0007-1

Oil Filter for Hurricane – Tier 2 + 3, 170-225hp, Hurricane 400, 75hp

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755

Item Number
RP ED0007-2

Oil Filter for Hurricane HT-300

Item Number
RP VP3000-11

Oil Filter for 156hp Tier 4 John Deere Engine

- Fits: Hurricane HT-500, HT-600 Tier 4

Item Number
RP EDJ0007-T4



Engine Fuel Filters for Vecloaders 422/522

Item Number
RP ED0008

Engine Fuel Filters for Hurricane

Item Number
RP ED0008-1

Fuel Filter – Tier 2 Electronic Engines [170hp] from Pump/Injectors

- Fits: Hurricane HT-500, HT-600

Item Number
RP ED0008-2

Fuel Filter – Tier 2 Electronic Engines [170hp-225hp] from Tank/Pump

- Fits: Hurricane HT-500, HT-600, HT-755

Item Number
RP ED0008-3

Fuel Filter – Tier 2 Electronic Engines [225hp] from Pump/Injectors

- Fits: Hurricane HT-755

Item Number
RP ED0008-4



Fuel Filter – Tier 3 Engine 500/600/755 Models [170hp-225hp]

- Fits: Hurricane HT-500, HT-600, HT-755

Item Number
RP ED0008T3-1

Fuel Filter for Hurricane HT-300

Item Number
RP VP3000-12

Fuel Filter Assembly for Hurricane HT-300

Item Number
RP VP3000-13



Fuel Filter for 156hp Tier 4 John Deere Engine

- Fits: Hurricane HT-500, HT-600 Tier 4

Item Number
RP EDJ0008-T4

Secondary Fuel Filter – Tier 3 Engine 500/600/755 Models [170hp-225hp]

- Fits: Hurricane HT-500, HT-600, HT-755

Item Number
RP ED0008T3-2

Hurricane 828 Tier 3 Fuel Filter

Item Number
RP ED0008-8



Air Cleaner Intake Basket-Rain Cap

- Fits: Hurricane HT-500, HT-600

Item Number
RP ED1004



Hurricane Air Cleaner End Cover

Item Number
RP ED1006

Air Cleaner Check Valve for ED 1006

Item Number
RP ED1006-1



Large Engine Air Cleaner – Hurricane 555/655 and Older Vecloaders

- Fits: Hurricane HT-555, HT-655, Vecloader 422/522

Item Number
RP ED0015

Large Engine Air Cleaner

- Fits: 500EL 100hp Tier 1

Item Number
RP ED0015-1

Large Engine Air Cleaner – Hurricane 500E/600E

- Fits: Hurricane HT-500E, HT-600E Tier 1

Item Number
RP ED0015E

Large Engine Air Cleaner – Hurricane 755

- Fits: Hurricane HT-755 Tier 1

Item Number
RP ED0015H

Large Engine Air Cleaner for 500E, 600E, 755 with Tier 2 + 3 Engines

- Fits: Hurricane HT-500, HT-600, HT-755

Item Number
RP ED0016-2

Large Engine (Primary) Air Cleaner for 2018 or Newer Hurricane 500, 600, 755 Tier 3 Engines

- Fits: Hurricane HT-500, HT-600, HT-755 Tier 3

Item Number
RP EDJ0016-P

Large Engine (Primary) Air Cleaner for 156JP Tier 4 John Deere Engine

- Fits: Hurricane HT-500, HT-600 Tier 4

Item Number
RP EDJ0016-T4P



Small Engine Air Cleaner for 170 and 225hp Tier 2 + 3 Engines

- Fits: Hurricane HT-500, HT-600, HT-755

Item Number
RP ED0016-1

Small Engine Air Cleaner – Hurricane 555/655, Older Vecloaders, 422 and 522

- Fits: Hurricane HT-555, HT-655, Vecloader 422/522

Item Number
RP ED0016

Small Engine Air Cleaner – 500, 600, Tier 2 + 100hp Tier 1

- Fits: Hurricane HT-500, HT-600, 500EL

Item Number
RP ED0016-3

Small Engine Air Cleaner – All “E” Models

- Fits: Hurricane HT-500, HT-600 Tier 1

Item Number
RP ED0016E

Small Engine Air Filter – Hurricane 755

- Fits: Hurricane HT-755 Tier 1

Item Number
RP ED0016H

Small Engine Air Cleaner – 2017 or Newer Hurricane 500, 600, 755 Tier 3 Engines

- Fits: Hurricane HT-500, HT-600, HT-755 Tier 3

Item Number
RP EDJ0016-S

Small Engine [Secondary] Air Cleaner – 156hp Tier 4 John Deere Engine

- Fits: Hurricane HT-500, HT-600 Tier 4

Item Number
RP EDJ0016-T4S



PTO – Clutch for Hurricane 500E / 600E

- Fits: Hurricane HT-500, HT-600

Item Number
RP ED0006H

PTO – Clutch 10"

- Fits: Vecloader 422/522

Item Number
RP ED0006H

Hurricane 755 PTO Clutch – Complete unit with Pilot Bearing

- Fits: Hurricane HT-755

Item Number
RP ED0051



10" Clutch Assembly – not including Bell Housing or Shaft

- Fits: Vecloader

Item Number
RP ED0034

Hurricane 755 Clutch Assembly – for NACD Clutch Only

- Fits: Hurricane HT-755

Item Number
RP ED0051-1

11" Clutch Assembly – not including Bell Housing or Shaft

- Fits: Hurricane HT-500, HT-600

Item Number
RP ED0034H

Clutch Assembly – Hurricane 500/600/500E1 with NACD/IVEC Clutch – not including Bell Housing or Shaft

Item Number
RP ED0034-1



10" Drive Ring Gear

- Fits: Vecloader 422/522

Item Number
RP ED0033

11" Drive Ring Gear

- Fits: Hurricane HT-500, HT-600

Item Number
RP ED0033H



11.5" Clutch Disks for Hurricane

- Fits: Hurricane HT-500, HT-600

Item Number
RP ED0032H

10" Clutch Disks for Vecloader

- Fits: Vecloader 422/522

Item Number
RP ED0032



Pilot Bearing for Hurricane 500E/600E

- Fits: Hurricane HT-500, HT-600, 500-EL

Item Number
RP ED0034H-1

Pilot Bearing


- Fits: Vecloader

Item Number
RP ED2-07431

Drive Pulley Hurricane 500

- Fits: Hurricane HT-500

Item Number
RP ED70001H



Drive Pulley Hurricane 600

- Fits: Hurricane HT-600

Item Number
RP ED7000H

Idler Pulley Hurricane

- Fits: Hurricane HT-555, HT-655

Item Number
RP ED7002H

Blower Pulley Hurricane 500E/600E

- Fits: Hurricane HT-500, HT-600

Item Number
RP ED7006H



Muffler for Hurricane 500E/600E Tier 1 Engines

- Fits: Hurricane HT-500, HT-600

Item Number
RP ED0027

Muffler Assembly for Hurricane 500E/600E

- Fits: Hurricane HT-500, HT-600
[Includes elbow and rain cap]

Item Number
RP ED0027A



Muffler for Hurricane 500E/600E Tier 2/3 Engines

- Fits: Hurricane 500E/600E Tier 2/3

Item Number
RP ED0100



Drive Bushing – Clutch for Hurricane 500/600

- Fits: Hurricane HT-500, HT-600

Item Number
RP ED7001H

Idler Bushing for Hurricane

- Fits: Hurricane HT-555, HT-655

Item Number
RP ED7003H

Blower Bushing for Hurricane 500

- Fits: Hurricane HT-500

Item Number
RP ED7005H

Blower Bushing for Hurricane 600

- Fits: Hurricane HT-600

Item Number
RP ED7011H



Belt –5VX950 4-Groove Single

- Fits: Hurricane HT-500, HT-600

Item Number
RP ED4950

Belt– 5VX800 4-Groove Single Banded

- Fits: Vecloader

Item Number
RP ED4951



4" Removable Inlet Pipe

- Fits: Hurricane HT-300

Item Number
RP FAB0027

6" Removable Inlet Pipe

- Fits: Hurricane HT-500, HT-600, HS-500 EM, Quiet Cube

Item Number
RP FAB0017

6" Stainless Steel Removable Inlet Pipe

- Fits: Hurricane HT-500, HT-600, HS-500 EM, Quiet Cube

Item Number
RP FAB0017-SS

6" Outer Inlet Pipe with Flange

- Fits: Hurricane HT-500, HT-600, HS-500 EM, Quiet Cube

Item Number
RP FAB0017-1

6" Stainless Steel Outer Inlet Pipe with Flange

- Fits: Hurricane HT-500, HT-600, HS-500 EM, Quiet Cube

Item Number
RP FAB0017-1SS

5" Inlet Pipe with Flange

- Fits: Vecloader 522

Item Number
RP FAB0001

8" x 6" Inlet Pipe for Hurricane 755 Large Hoppers and 828 Models

- Fits: Hurricane HT-755, HT-828, HS-800 EM

Item Number
RP FAB1102

8" Outer Inlet Pipe-Flange [Weld-In]

- Fits: Hurricane HT-755, HT-828, HS-800 EM, QC-200, QC-250

Item Number
RP FAB1102-1



54" Cone Assembly - for Hurricane or Vecloader, with Flanges and Vibrator Bracket

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM, Vecloader

Item Number
RP FAB3001

54" Stainless Steel Cone for Hurricane or Vecloader, with Flanges and Vibrator Bracket Option for FAB3001

Item Number
RP FAB3001-1



54" Dome for Baghouse – Hurricane 500/600

- Fits: Hurricane HT-500, HT-600, HS-500 EM, Quiet Cube

Item Number
RP FAB3002

54" Dome for Baghouse – Hurricane 755/828 and 800 EM

- Fits: Hurricane HT-755, HT-828, HS-800 EM

Item Number
RP FAB3003



54" Dome for Baghouse – New Style, Boltless with Gasket, Hinge Arms, Latch Brackets

- Fits: Hurricane HT-500, HT-600, HS-500 EM, Quiet Cube

Item Number
RP FAB2999



Dump Door Assembly

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM, Quiet Cube, Vecloader

Item Number
RP FAB9506

Dump Door Only


- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM, Quiet Cube, Vecloader

Item Number
RP FAB9507

Dump Chute Only

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM, Quiet Cube, Vecloader

Item Number
RP FAB9506-2



Dump Chute Gasket

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM, Quiet Cube, Vecloader

Item Number
RP MC7655



Lower Deflector – 2½' Piece

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, Vecloader

Item Number
RP FAB0004

Stainless Steel Lower Deflector – 2½' Piece

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, Vecloader

Item Number
RP FAB0004-SS



Lower Wear Plate for Under Inlet Part, Weld In

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, HT-500EM, HS-800EM, Quiet Cube


Item Number
RP FAB0004-1



Front Crank Jack Stand

- Fits: Hurricane HT-500, HT-600

Item Number
RP MC7014



Hurricane Front Crank Jack Handle

Item Number
RP MC7014-2



Upper Deflector – 522

- Fits: Vecloader

Item Number
RP FAB0002

Upper Deflectors for Hurricane 6" Inlet Pipe

- Fits: Hurricane HT-500, HT-600, HS-500 EM, Quiet Cube

Item Number
RP FAB0018

Stainless Steel Upper Deflector for Hurricane 6" Inlet Pipe

- Fits: Hurricane HT-500, HT-600, HS-500 EM, Quiet Cube

Item Number
RP FAB0018-SS

Upper Deflector for Hurricane 755/828

- Fits: Hurricane HT-755, HT-828, HS-800 EM

Item Number
RP FAB0024

Upper Deflector for 72" Diameter Cylinder

- Fits: Hurricane HT-828

Item Number
RP FAB7201



Inner Wear Plates for all 6" Inlet Pipe Hurricanes Including Part #FAB5164

- Fits: Hurricane HT-500, HT-600, HS-500 EM, Quiet Cube

Item Number
RP FAB5161

Stainless Steel Inner Wear Plates for all 6" Inlet Pipe Hurricanes Including Part #FAB5164

- Fits: Hurricane HT-500, HT-600, HS-500 EM, Quiet Cube

Item Number
RP FAB5161-SS

522 Inner Wear Plate

- Fits: Vecloader 522

Item Number
RP FAB0003

Inner Wear Plate – Vecloader 624, 721 for all Vector 6" Inlet Pipe Units

Item Number
RP FAB0005

Inner Wear Plate for Hurricane 755 and 828

- Fits: Hurricane HT-755, HT-828, HS-800 EM

Item Number
RP FAB0023



Inner Wear Plate for Hurricane 828 with 72" Diameter Cylinder [17" x 48.5"]

- Fits: Hurricane HT-828

Item Number
RP FAB7200

New Style Inner Wear Plate for Hurricane 828 with 72" Diameter Cylinder [17" x 32"]

- Fits: Hurricane HT-828

Item Number
RP FAB7200-1



Removable Wear Plate for all 6" Inlet Hurricanes

- Fits: Hurricane HT-500, HT-600,
- HS-500 EM, Quiet Cube, Vecloader 624, 721

Item Number
RP MC7020

Removable Wear Plate – Hurricane 828 and Newer 755

- Fits: Hurricane HT-755, HT-828, HS-800 EM

Item Number
RP MC7020-1

Removable Wear Plate – Vecloader 422/522

- Fits: Vecloader

Item Number
RP MC7008



Pivot Pins for Lifting Arms 2" OD x 5.125"

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, Vecloader

Item Number
RP FAB0014

Pivot Pin Caps

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, Vecloader

Item Number
RP FAB0014-1

Pivot Pin Bolt with Grease Fitting

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, Vecloader

Item Number
RP FAB0014-2

Pivot Pins for Towers 2" OD x 6.625"

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, Vecloader

Item Number
RP FAB0014-3

HYDRAULIC SYSTEM PARTS



Hydraulic Fluid Filter Cartridge

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, Vecloader

Item Number
RP HY3000



Hydraulic Filter Gauge

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, Vecloader

Item Number
RP HY3098



Hydraulic Pump for Vecloaders

- Fits: Vecloader

Item Number
RP HY3002



Love Joy Coupling - $\frac{3}{4}$ " Engine

- Fits: Vecloader 422/522

Item Number
RP HY3400



Hydraulic Cylinder Hopper Lift

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828

Item Number
RP HY3091



Love Joy Coupling for Hydraulic Pump

- Fits: Vecloader 422/522

Item Number

RP HY3420, 7/16"

RP HY3421, 1/2"



Hydraulic Cylinder Trailer Lift

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, Vecloader

Item Number

RP HY3006



Hydraulic Pump for Auxiliary Drive Engines

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828

Item Number

RP HY3008



Hydraulic Solenoid for Hurricane 500E, 600E, 755

- Fits: Hurricane HT-400, HT-600, HT-755

Item Number

RP HY3007

Gasket-Between HYD Pump and Air Compressor

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828

Item Number

RP HY3008-1



Hydraulic Tank for Hydraulic Power Pack [Replaces tank that comes with power pack-larger volume]

- Used on 500/600 and 755 w/Electric Hydraulics
- Fits: Hurricane HT-500, HT-600, HT-755

Item Number

RP HY4501

MISCELLANEOUS PARTS



14" I.D. Blower Gasket

- For Hurricane 828 [1021DVJ] Air Intake and Discharge Silencer Ports

Item Number
RP MC4100

12" I.D. Blower Gasket

- For All Ports on [721DVJ] HT-755 and Top Intake Silencer on [1021DVJ] HT-828

Item Number
RP MC4101

10" I.D. Blower Gasket

- For Hurricane 500 [616DVJ] Exhaust Silencer, HT-600 [624] Intake Port

Item Number
RP MC4102

8" I.D. Blower Gasket

- For Hurricane 500 [616DVJ] Intake Port, Top Intake Silencer Port, HT-600 Exhaust Port

Item Number
RP MC4103



Pintle Hitch Assembly

Item Number
RP MC6027



Tow Ring, 4-Bolt, 2.5" ID

Item Number
RP MC6028

Bolt Kit For Tow Ring

Item Number
RP MC6028-1



10" Manhole

- Fits: all Hurricane models

Item Number
RP MC7017



16" Manhole

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, Vecloader

Item Number
RP MC7006



Dump Door Gasket Retainer Plate

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM, Quiet Cube, Vecloader

Item Number
RP MC7007-1



Dump Door Gasket

- Fits: Hurricane HT-400, HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM, Quiet Cube, Vecloader

Item Number
RP MC7007

MISCELLANEOUS PARTS



Baghouse Dome Gasket – Cone to Cylinder Gasket

- Fits: Hurricane HT-500, HT-600, HT-755, HT-828, HS-500 EM, HS-800 EM, Vecloader

Item Number
RP MC9282



New Style Boltless Dome Gasket

- For 2014 or Newer Hurricane with the Boltless Dome on Baghouse

Item Number
RP MC9284



8" Butterfly Valve

- Fits: Hurricane HT-400, HT-500, HT-600, Vecloader

Item Number
RP MC9714

12" Butterfly Valve – Complete

- Fits: Hurricane HT-755, HT-828, Vecloader

Item Number
RP MC1200



Magnehelic Gauge 0-10" of Water

- Fits: Hurricane, Dust Collectors, Vecloader

Item Number
RP FN8009


Magnehelic Gauge 0-50" of Water

- Fits: Hurricane and Vecloader

Item Number
RP FN8010

Magnehelic Gauge Mounting Plate

Item Number
RP FAB7575



Rapid Prep Blast Boxes

- 2-8 outlets
- LED blasting indicator lights
- Works with all valve types
- Available in 110v or 12v
- Optional 5 wire system that will also power blast lights



8-Wire Repairable Electric Deadman Control



3-Wire Repairable Electric Deadman Control



2-Wire Sealed Electric Deadman Control

- Extreme cable deadman extensions:
 - Available in 2-wire and 3-wire in 50' and 105' increments with twist lock ends
 - Custom lengths available



The Brick®

- 10"L x 5"W x 4"H
- Built from a solid block of 6061-T6 aluminum for durability
- Certified and approved for hazardous locations [HazLoc]
- Rated + Optics: 50,000 Lux at 1'; >11,500 lumens



The 3475™ Abrasive LED Blast Light

- 7"L x 3" halo diameter
- Highest performing light for blasting in its class
- Durable, machined aluminum and polyurethane-wrapped for extra safety
- Light stanchions and replacement lens available
- Cable options: 100" Extreme Cable [standard]
- Other lengths available [min. 10 ft]
- Battery clamp option available [min. 10 ft]
- Light output: 1,325 Lumens



The Brickette™

- 6"L x 2.9"W x 2.3"H
- Compact size allows for the flexibility to power up to five lights from one power box [string light configuration]
- Designed to meet the needs in a variety of applications from inspection, aviation construction and maintenance, confined spaces
- Rated + Optics: >2,500 lumens



Model 3500 LED, Field Repairable LED Blast Light

- 4 3/8"L x 2 5/8"W
- Diameter: 2 5/8"
- Best solution for abrasive blast lighting that gives the user flexibility to do on the job field repairs
- Light output: 295 Lumens



Model 3600, Halogen 12V No-Air Aluminum Blast Light

- Built-in light stanchion and aluminum body
- Mounts to any blast hose
- Emitter Type: 20 watt halogen bulb



Model 7701, HD-Intrinsically Safe LED Headlamp

- MSHA approved
- Safe for use in hazardous environments



Model 4210 LED, Mountable LED Work Light (Single Lamp)

- Single lamp portable work light
- Large handle
- 25' of electric cable
- Durable polyurethane construction
- Easily decontaminated for use in nuclear facilities



Model 3400, No Air Polyurethane Halogen Blast Light

- Compressed air not required for operation
- 35 watt halogen bulb
- Pyrex lens



RUST NEVER SLEEPS

NATIONWIDE EQUIPMENT RENTALS, SALES + SERVICE

www.rapidprep.com | 877.529.2124